

Fig. 695-706: aedeagus. – 695, *Carabus (Microplectes) convallium* Starck, from Adigeja. – 696, *C. (M.) argonautarum* Semenov, from Mt Aibga. – 697, *C. (M.) riedeli* Ménétériés, from Rzyvaschki. – 698, *C. (Sphodristocarabus) heinzi heinzi* Breuning, from Kumbet Pass. – 699, *C. (S.) scovitzii czipkai* Heinz, from Artvin. – 700, *C. (S.) gilnicki brunneicupreus* Deuve, from Ikizdere Pass. – 701, *C. (S.) coruhneriensis* Cavazzuti, paratype from Yusufeli vicinity. – 702, *C. (S.) enigmaticus exiliatus* Cavazzuti, from Kilickaya. – 703, *C. (S.) georgia georgia* Cavazzuti, paratype from Tunceli vicinity. – 704, *C. (S.) biroii iorbi* Deuve et Charet, paratype from Ladik. – 705, *C. (S.) pavesii* Cavazzuti, holotype. – 706, *C. (S.) macrogonus macrogonus* Chaudoir, from Gümüşhane vicinity.




Fig. 707-718: aedeagus. – 707, *Carabus (Sphodristocarabus) macrogonus schweigerinae* Schweiger, from Abant. – 708, *C. (S.) macrogonus akkusensis* Breuning, from Gürgentepe Pass. – 709, *C. (S.) macrogonus pseudokolatensis* Heinz, from Ilica. – 710, *C. (S.) tokatensis tokatensis* Roeschke, from Yildiz. – 711, *C. (S.) tokatensis simonae* Cavazzuti, from Pülümür. – 712, *C. (S.) kurdicus kurdicus* Heinz, from Resadiye. – 713, *C. (S.) armeniacus blumenthaliensis* Heinz et Korge, from Ilica. – 714, *C. (S.) armeniacus basilewskianus* Breuning et Ruspoli, from Borçka vicinity. – 715, *C. (S.) janthinus janthinus* Ganglbauer, from Mt Tshipshira. – 716, *C. (S.) varians varians* Fischer (holotype of *somcheticus* Mandl), from Dilizhan. – 717, *C. (S.) adamsi serriae* Deuve, holotype. – 718, *C. (S.) adamsi persa* Lapouge, neotype.




Fig. 719-732: aedeagus. – 719, *Carabus (Sphodristocarabus) bohemanni bohemanni* Ménériés, from Lenkoran vicinity. – 720, *C. (S.) bohemanni esperanzae* Heinz, from the pass at east of Varid. – 721, *C. (S.) bohemanni esfandiarii* Heinz, from Rudbarak. – 722, *C. (S.) elegantulus sarafrazii* Deuve, holotype. – 723, *C. (S.) elegantulus elegantulus* Motschulsky, from Nahar Khoran. – 724, *C. (Cechenochilus) boeberi aequaliceps* Reitter, from Tokhe Karata. – 725, *C. (C.) heydenianus prichodkoi* Semenov, from Kishi. – 726, *C. (C.) heydenianus gusevi* Zamotajlov et Koval, from Dzyskra vicinity. – 727, *C. (Tribax) fausti* Dohrn, from “Caucasus”. – 728, *C. (T.) lederi* Reitter, from “Caucasus”. – 729, *C. (T.) nothus* Adams, from Krestovy Pass. – 730, *C. (T.) planipennis* Chaudoir, from Mt Bajos. – 731, *C. (T.) georgiensis* Gottwald, from Taïsky Glacier vicinity. – 732, *C. (T.) kasacorum kasacorum* Semenov, from Alaghir.